Index for Volume 34 (1985)

COMPILED BY TROY L. BEST

Acanthisitta, 39–41
  chloris, 40
Acanthisittidae, 39
Acrochordopus, 36
Adelphicos, 6, 19
Agamidae, 176, 177, 219, 221
Ainsworth, Ruth, see Grehan, John R., and —
Alaudidae, 37
Alberch, Pere, Problems with the interpretation of developmental sequences, 46–58
Alligator, 11
Allometry, 381–396
Alsophis, 12, 14, 19, 20
Amastridium, 19
Ambystoma mexicanum, 54–56
Ampelioides tschudii, 37, 40
Ampelion, 408
  rubrocristata, 418
Amphisbaenidae, 219, 221
Analysis,
  canonical, 259–279, 366–374
  cladistic, 1–20, 21–34, 280–299, 312–325, 326–345
  cluster, 162–173
  distance, 99–100, 312–325, 397–403, 404–418
  factor, 259–279
  image, 346–358
  macroevolutionary, 222–229
  multivariate, 127–139, 419–448
  numerical taxonomic, 326–345
  phylogenetic, 162–173
  principal components, 259–279, 381–396, 419–448
  shape, 59–68
  trend surface, 259–279
Ancestors, 205–215
Anderson, Sydney, and J. Knox Jones, Jr., Orders and families of Recent mammals of the World (rev.), 247
Anelytropsidae, 219
Anguidae, 219, 221
Anniellidae, 219
Ant phylogeny, 140–151
Antillesoma, 162–164, 167–169
Antillophis, 12, 20
Apionsoma, 163, 167–169, 172
Apostolepis, 20
Araeoscelis, 219
Archaeopteryx, 179
Archie, James W., Methods for coding variable morphological features for numerical taxonomic analysis, 326–345
Aristotle be reconciled with Darwin?, can, Michael T. Ghiselin, 457–460
Armadillidium vulgare, 244
Arrhyton, 12, 20
Artemisia, 436
Aspidosiphon, 163–165, 167–169
Aspidosiphonidae, 172
Atractus, 6–8, 20
Attila, 36, 40
Automatic identification, 59–68

Bauplane, 185
Biochemical evolution, 404–418
Biogenetic law, 46–58, 280–299
Biogeography, 1–20, 109–126, 419–448
Bolitoglossa, 11
Bookstein, 89–97
Bootstrap, 140–151
Brooks, Daniel R., and E. O. Wiley, Nonequilibrium thermodynamics and evolution: Responses to Bookstein and to Wicken, 89–97
Bufo arenarum, 84

Cadle, John E., The Neotropical colubrid snake fauna (Serpentes: Colubridae): Lineage components and biogeography, 1–20
Caiman-Melanosuchus, 11
Calamodontophis, 20
Callichthyidae, 381–396
Camp, Charles L., 216–222
Canalization model of chromosomal evolution: A critique, the, Max King, 69–75
Candeina nitida, 277
Canonical trend surface analysis: A method for describing geographic patterns, Daniel Wartenberg, 259–279
Canonical variates analysis and the construction of confidence ellipses in systematic studies, on, James G. Owen and Margaret A. Chmielewski, 366–374
Carey, S. Warren (ed.), The expanding earth: A symposium (rev.), 103–104
Carollia, 373
  brevicauda, 370, 371
  perspicillata, 370–372
  subrufa, 370, 371
Casiornis, 36, 40
Categorical variation, 127–139
Catfishes, 381–396
Central America, 1–20
Cerapachys, 148
Chamaeleontidae, 219, 221
Character, 229–233
  coding, 326–345
  consistency, 326–345
  non-ordered, 99–100

Index for Volume 34 (1985)

COMPILED BY TROY L. BEST

Acanthisitta, 39–41
  chloris, 40
Acanthisittidae, 39
Acrochordopus, 36
Adelphicos, 6, 19
Agamidae, 176, 177, 219, 221
Ainsworth, Ruth, see Grehan, John R., and —
Alaudidae, 37
Alberch, Pere, Problems with the interpretation of developmental sequences, 46–58
Alligator, 11
Allometry, 381–396
Alsophis, 12, 14, 19, 20
Amastridium, 19
Ambystoma mexicanum, 54–56
Ampelioides tschudii, 37, 40
Ampelion, 408
  rubrocristata, 418
Amphisbaenidae, 219, 221
Analysis,
  canonical, 259–279, 366–374
  cladistic, 1–20, 21–34, 280–299, 312–325, 326–345
  cluster, 162–173
  distance, 99–100, 312–325, 397–403, 404–418
  factor, 259–279
  image, 346–358
  macroevolutionary, 222–229
  multivariate, 127–139, 419–448
  numerical taxonomic, 326–345
  phylogenetic, 162–173
  principal components, 259–279, 381–396, 419–448
  shape, 59–68
  trend surface, 259–279
Ancestors, 205–215
Anderson, Sydney, and J. Knox Jones, Jr., Orders and families of Recent mammals of the World (rev.), 247
Anelytropsidae, 219
Anguidae, 219, 221
Anniellidae, 219
Ant phylogeny, 140–151
Antillesoma, 162–164, 167–169
Antillophis, 12, 20
Apionsoma, 163, 167–169, 172
Apostolepis, 20
Araeoscelis, 219
Archaeopteryx, 179
Archie, James W., Methods for coding variable morphological features for numerical taxonomic analysis, 326–345
Aristotle be reconciled with Darwin?, can, Michael T. Ghiselin, 457–460
Armadillidium vulgare, 244
Arrhyton, 12, 20
Artemisia, 436
Aspidosiphon, 163–165, 167–169
Aspidosiphonidae, 172
Atractus, 6–8, 20
Attila, 36, 40
Automatic identification, 59–68

Bauplane, 185
Biochemical evolution, 404–418
Biogenetic law, 46–58, 280–299
Biogeography, 1–20, 109–126, 419–448
Bolitoglossa, 11
Bookstein, 89–97
Bootstrap, 140–151
Brooks, Daniel R., and E. O. Wiley, Nonequilibrium thermodynamics and evolution: Responses to Bookstein and to Wicken, 89–97
Bufo arenarum, 84

Cadle, John E., The Neotropical colubrid snake fauna (Serpentes: Colubridae): Lineage components and biogeography, 1–20
Caiman-Melanosuchus, 11
Calamodontophis, 20
Callichthyidae, 381–396
Camp, Charles L., 216–222
Canalization model of chromosomal evolution: A critique, the, Max King, 69–75
Candeina nitida, 277
Canonical trend surface analysis: A method for describing geographic patterns, Daniel Wartenberg, 259–279
Canonical variates analysis and the construction of confidence ellipses in systematic studies, on, James G. Owen and Margaret A. Chmielewski, 366–374
Carey, S. Warren (ed.), The expanding earth: A symposium (rev.), 103–104
Carollia, 373
  brevicauda, 370, 371
  perspicillata, 370–372
  subrufa, 370, 371
Casiornis, 36, 40
Categorical variation, 127–139
Catfishes, 381–396
Central America, 1–20
Cerapachys, 148
Chamaeleontidae, 219, 221
Character, 229–233
  coding, 326–345
  consistency, 326–345
  non-ordered, 99–100

number, 127–139
polarities, 46–58, 280–299
stability, 83–89
"Character" and related terms, on, Donald H. Colless, 229–233
Character number and the multivariate analysis of simple patterns of geographic variation: Categorical or "stepped clinal" variation, R. S. Thorpe, 127–139
Character stability in 39 data sets, Robert R. Sokal and Kwang-Tsao Shao, 83–89
Charles L. Camp and his 1923 classification of lizards: An early cladist?, Scott M. Moody, 216–222
Chelonoidis, 11
Chersodromus, 6, 19
Chipmunks, 419–448
Chironius, 13
Chiroxiphia, 408, 412
linearis, 37, 40
pareola, 38, 40, 418
Chloropipo, 408
holochlora, 418
Chmielewski, Margaret A., see Owen, James G., and —
Chromosomal evolution, 69–75
Cladistic analysis of restriction endonuclease cleavage maps within a maximum-likelihood framework, Ronald W. DeBry and Norman A. Slade, 21–34
Cladistics, 1–20, 21–34, 216–222, 280–299, 312–325, 326–345
Classification of the taxon Tetrapoda, on the, Søren Løvtrup, 463–470
Clelia, 6, 8, 12, 20
Cleveland, William F., The elements of graphing data (rev.), 471–473
Cloeosiphon, 163, 165, 167, 168, 172
Cluster analysis, 162–173
Cnemidophorus, 11, 335
gularis, 337, 360
inornatus, 360, 361
laredoensis, 359
neomexicanus, 359, 361
septemvittatus, 360
sexlineatus, 360
tesselatus, 359, 360, 362
tigris, 360, 361
uniparens, 359, 360
Coding, 326–345
Coefficient,
variation, 449–456
similarity, 162–173
Cole, Charles J., Taxonomy of parthenogenetic species of hybrid origin, 359–363
Colless, Donald H., Distance coefficients from non-ordered characters, 99–100
Colless, Donald H., On "character" and related terms, 229–233
Colless, Donald H., On the status of outgroups in phylogenetics, 364–366
Colopteryx galeatus, 39
Colubridae, 1–20
Colura, 214
Comparison of undirected phylogenetic trees based on subtrees of four evolutionary units, George F. Estabrook, F. R. McMorris, and Christopher A. Meacham, 193–200
Compatability, 193–200
Confidence ellipses, 366–374
Confidence limits on phylogenies with a molecular clock, Joseph Felsenstein, 152–161
Congruence, 127–139
Coniophanes, 19, 20
Conopophaga, 36, 37
Conopophagidae, 36
Consensus tree, 397–403
Constitution of the Society, 254–258
Corapipo, 38, 408, 412
altera, 418
Cordylidae, 219, 220
Correlation,
canonical, 259–279
Corvidae, 38
Corydoras, 381–396
acrensis, 396
acutus, 396
adolfoi, 382
aeneus, 388, 396
agassizi, 396
amapaensis, 396
ambiacus, 396
amphibelus, 396
approuaguensis, 396
arcuatus, 396
armatus, 396
atropersonatus, 396
aurofrenatus, 396
australe, 393, 396
axelrodi, 396
baderi, 396
barbatus, 396
bicolor, 396
bifasciatus, 396
blochi, 396
boehlkei, 396
boesemani, 396
bolivianus, 396
bondi, 396
carlae, 396
caudimaculatus, 396
cervinus, 396
cochui, 396
concolor, 396
condiscipulus, 396
dubius, 396
ehrhardti, 396
eigenmanni, 396
elegans, 396
ellisae, 388, 396
ephippifer, 396
episcopi, 396
eques, 396
evelynae, 396
filamentosus, 396
flaveolus, 396
fowleri, 396

funnelli, 396
garbei, 396
geryi, 396
gossei, 396
gracilis, 396
griseus, 396
guapore, 396
guianensis, 396
habrosus, 396
haraldschultzi, 396
hastatus, 393, 394, 396
heteromorphus, 396
imitator, 396
julii, 396
juquiaae, 396
kronei, 396
latus, 396
leopardus, 396
leucomelas, 396
macropterus, 396
macrosteus, 396
maculifer, 396
marmoratus, 396
melanistius, 396
melanotaenia, 396
melini, 396
metae, 396
micracanthus, 396
microcephalus, 396
microps, 396
multimaculatus, 396
nanus, 396
narcissus, 396
natereri, 396
nattereri, 396
octocirrus, 396
oelemariensis, 396
oiapoquensis, 396
ornatus, 396
orphnopterus, 396
osteocarus, 396
ourastigma, 396
oxyrhynchus, 396
paleatus, 396
panda, 396
pastazensis, 396
polystictus, 388, 396
potaroensis, 396
prionotus, 396
pulcher, 396
punctatus, 396
pygmaeus, 393, 394, 396
rabauti, 396
reticulatus, 396
reynoldsi, 396
robineae, 382
robustus, 396
sanchesi, 396
saramaccensis, 396
schwartzi, 396
semiaquilus, 396
septentrionalis, 396
simulatus, 396
solox, 396
spilurus, 396
steindachneri, 396
stenocephalus, 396
sterbai, 396
surinamensis, 396
sychri, 396
treitlii, 396
trilineatus, 396
undulatus, 396
venezuelanus, 396
virescens, 396
weitzmani, 396
wotroi, 396
xinguensis, 396
zygatus, 396
Corythopis, 36, 40
Cotinga, 408
amabilis, 38
cayana, 418
Cotingidae, 35–42, 405, 418
Cracraft, Joel, Species selection, macroevolutionary analysis, and the "hierarchial theory" of evolution, 222–229
Cricetidae, 74
Cryophis, 6, 19
Culicivora, 36
Cutler, Edward B., and Peter E. Gibbs, A phylogenetic analysis of higher taxa in the phylum Sipuncula, 162–173

Darlingtonia, 12, 20
Darwin, 97–98, 239–242, 457–460, 460–462
gradualism, 201–205
Darwin and the definition of phylogeny, Ernst Mayr, 97–98
Darwin, Darwinian theory and punctuated equilibria, Francesco Maria Scudo, 239–242
Dasia
olivacea, 213
subcaerulea, 213
Dasyuridae, 84
de Queiroz, Kevin, The ontogenetic method for determining character polarity and its relevance to phylogenetic systematics, 280–299
DeBry, Ronald W., and Norman A. Slade, Cladistic analysis of restriction endonuclease cleavage maps within a maximum-likelihood framework, 21–34
Dendrocolaptidae, 35, 39
Dermophis, 11
Desmognathus ochrophaeus, 242
Detecting internal inconsistencies in distance data, Scott M. Lanyon, 397–403
Development, 46–58
Dibamidae, 219
Diplodactylus, 70
vittatus, 73
Dipodomys, 335
Dipsas, 6–8, 19, 20
Dispersal, 174–192
Distance,
analysis, 404–418

coefficients, 99–100
data, 397–403
immunological, 312–325
molecular, 312–325
Distance coefficients from non-ordered characters, Donald H. Colless, 99–100
Distance methods and the approximation of most-parsimonious trees, Daniel P. Faith, 312–325
DNA,
hybridization, 35–45
mitochondrial, 21–34
Doliornis, 408
sclateri, 418
Drepanoides, 20
Drosophila, 72, 84

Ecology, 419–448
Eighteenth International Numerical Taxonomy Conference, report on, George Estabrook, 100–101
Elaenia, 42
frantzii, 415
Elapomorphus, 20
Eldredge, Niles, review by, 102–103
Electrophoresis, 109–126, 300–311, 404–418, 419–448
Eleutherodactylus, 73
Elliptic Fourier description, 59–68
Ellobius, 70
Embryology, 46–58
Emig, Christian Charles, A new method for representing trees, 234–238
Enkleia, 213
Equus, 84
burchelli, 53
grevyi, 53
Eridiphas, 5, 6, 19
Erythrolamprus, 6, 8, 20
Estabrook, George F., F. R. McMorris, and Christopher A. Meacham, Comparison of undirected phylogenetic trees based on subtrees of four evolutionary units, 193–200
Estabrook, George, Report on Eighteenth International Numerical Taxonomy Conference, 100–101
Eurylaimidae, 35
Euscarthmornis margaritaceiventer, 39
Euscarthmus, 36
Eusmilus, 183
Eutamias
canipes, 421, 438, 443, 444
cinereicollis, 421, 438, 443, 444
minimus, 419–448
quadrivittatus, 421, 433, 434, 436, 438, 442–444, 448
umbrinus, 433, 434, 436, 442, 448
Evolution, 89–97, 109–126, 162–173, 174–192, 280–299, 381–396
biochemical, 404–418
chromosomal, 69–75
units, 193–200
Evolutionary allometry and variation in body form in the South American catfish genus *Corydoras* (Callichthyidae), Richard E. Strauss, 381–396
Evolutionary genetics of the Andean lizard genus *Pholidobolus* (Sauria: Gymnophthalmidae): Phylogeny, biogeography, and a comparison of tree construction techniques, David M. Hillis, 109–126

F-test, 449–456
Factor analysis, 259–279
Faith, Daniel P., Distance method and the approximation of most-parsimonious trees, 312–325
Feature extraction, 59–68, 346–358
Felsenstein, Joseph, Confidence limits on phylogenies with a molecular clock, 152–161
Felsenstein, Joseph, Phylogenies from gene frequencies: A statistical problem, 300–311
Ferson, Scott, F. James Rohlf, and Richard K. Koehn, Measuring shape variation of two-dimensional outlines, 59–68
Feyliniidae, 219
Flycatchers, 404–418
Formicariidae, 35–37, 39
Furnariidae, 35, 37, 39

Gap-coding, 326–345
Gastrophryne, 11
Gehyra, 70, 73
Gekkonidae, 70, 219, 221
Gene frequencies, 109–126, 300–311, 404–418, 419–448
Generality, 280–299
Generalized gap-coding, 326–345
Genetic distances, 109–126, 300–311, 404–418, 419–448
Genoways, Hugh H., and Duane A. Schlitter, review by, 247
Geochelone, 11
Geographic variation, 127–139, 259–279, 419–448
Geophis, 8, 19
Gerrhosauridae, 219, 221
Ghiselin, Michael T., Can Aristotle be reconciled with Darwin?, 457–460
Ghiselin, Michael T., Mayr versus Darwin on paraphyletic taxa, 460–462
Gibbs, Peter E., see Cutler, Edward B., and —
Globigerina digitata, 277
Globigerinella aequilateralis, 277
Globigerinita glutinata, 277
Globigerinoides
bulloides, 277
calida, 277
conglobatus, 277
falconensis, 277
pachyderma, 277
quinqueloba, 277
ruber, 277
rubescens, 277
sacculifer, 277
tenellus, 277
Globoquadrina dutertrei, 277
Globorotalia
crassaformis, 277
hirsuta, 277
inflata, 277
menardii, 277

scitula, 277
truncatulinoides, 277
tumida, 277
Gnetum, 175
Golfingia, 162, 163, 167, 168, 172
margaritacea, 163, 164
vulgaris, 163, 164
Golfingiella, 162
Golfingiidae, 164, 167, 169, 170, 172
Gomesophis, 20
Gopherus, 11
Gorilla, 194
Gradualism, 201–205
Grant, William F. (ed.), Plant biosystematics (rev.), 375–377
Grehan, John R., and Ruth Ainsworth, Orthogenesis and evolution, 174–192
Gryphaea, 183
Gymnoderus, 408
foetidus, 418
Gymnophthalmidae, 109–126
Gymnopis, 11

Haplochromus, 227
Heads, Michael, On the nature of ancestors, 205–215
Helicops, 6, 20
Helodermatidae, 219, 221
Hemidactylium
scutatum, 54, 55
Hemitriccus
diops, 39
margaritaceiventer, 39
Hendy, M. D., see Penny, David, and —
Heterochrony, 46–58
Hierarchical theory, 222–229
Higher taxa, 162–173
Hillis, David M., Evolutionary genetics of the Andean lizard genus *Pholidobolus* (Sauria: Gymnophthalmidae): Phylogeny, biogeography, and a comparison of tree construction techniques, 109–126
Hirundinidae, 37
Homo, 194
sapiens, 209, 230, 233, 458
Homogeneous-subset coding, 326–345
Homology, 280–299
Hydrodynastes, 20
Hydromorphus, 6, 19
Hydrops, 20
Hylophilus ochraceiceps, 36
Hypopachus, 11
Hypotheses on Darwin's gradualism, two, David Penny, 201–205
Hypothesis testing, 152–161
Hypsiglena, 19
Hypsirhynchus, 12, 14, 20

Ialtris, 12, 20
Ictalurus, 84
Iguanidae, 176, 177, 219, 221
Ilicura militaris, 40
Image analysis, 346–358
Imantodes, 6, 8, 19, 20
cenchoa, 8
gemmistratus, 8
lentiferus, 8
Immunological distance, 312–325
Inference,
phylogenetic, 21–34
statistical, 21–34
Iodopleura, 39, 408
isabellae, 418
pipra, 40
Iris, 368
Isopods, 242–245
Iva, 84

Jackknifing, 397–403, 404–418
Jasminum, 209, 213
Jones, J. Knox, Jr., see Anderson, Sydney, and —

King, Max, The canalization model of chromosomal evolution: A critique, 69–75
Koehn, Richard K., see Ferson, Scott, —

Lacertidae, 219, 221
Laniocera, 36, 40
Lanyon, Scott M., Detecting internal inconsistencies in distance data, 397–403
Lanyon, Scott M., Molecular perspective on higher-level relationships in the Tyrannoidea (Aves), 404–418
Leggada, 70
Leptodactylidae, 84
Leptodeira, 6, 8, 19, 20
Leptogenys, 148
Leptomyrmex, 148
Levene's test for relative variation, Brian B. Schultz, 449–456
Lineage components, 1–20
Ling, Long-bin, see Zhou, Yuan-hua, —
Linostoma, 213
Liophis, 6–8, 12, 13, 20
Lipaugus, 37, 40, 405, 408
vociferans, 418
Lithacrosiphon, 163–165, 167, 168, 170
Litoria, 73
Lophostoma, 213
Lophotriccus galeatus, 39
Løvtrup, Søren, On the classification of the taxon Tetrapoda, 463–470
Lygophis boursieri, 12
Lygosoma
dussumieri, 213
maculatum, 213
Lystrophis, 20

Machaeropterus, 408, 412
regulus, 418
Macroevolutionary analysis, 222–229
Maiorana, Virginia C., and Leigh M. Van Valen, Terrestrial isopods for preparing delicate vertebrate skeletons, 242–245
Manacus, 408, 412
manacus, 37, 40, 418
Manakins, 404–418

Manolepis, 6, 8, 20
Manouria, 11
Masius, 408, 412
  chrysopterus, 418
Mastigodryas, 13
Maximum-likelihood estimation, 21–34
Mayr, Ernst, Darwin and the definition of phylogeny, 97–98
Mayr versus Darwin on paraphyletic taxa, Michael T. Ghiselin, 460–462
McKitrick, Mary C., Monophyly of the Tyrannidae (Aves): Comparison of morphology and DNA, 35–45
McMorris, F. R., see Estabrook, George F., —
Meacham, Christopher A., see Estabrook, George F., —
Measuring shape variation of two-dimensional outlines, Scott Ferson, F. James Rohlf, and Richard K. Koehn, 59–68
Megaloceros, 183
Menidia, 328
  beryllina, 343
Menodora, 209, 213
Methods,
  distance, 312–325
  ontogenetic, 280–299
  outgroup, 280–299
  paleontological, 280–299
Methods for coding variable morphological features for numerical taxonomic analysis, James W. Archie, 326–345
Metric, 75–82, 312–325
Microtriccus, 36
Microtus mexicanus, 433
Mionectes, 42
  oleagineus, 38
  olivaceus, 415
Mionectidae, 40
Mitochondrial DNA, 21–34
Molecular, 404–418
  clock, 152–161
  distances, 312–325
Molecular perspective on higher-level relationships in the Tyrannoidea (Aves), Scott M. Lanyon, 404–418
Monophyly of the Tyrannidae (Aves): Comparison of morphology and DNA, Mary C. McKitrick, 35–45
Moody, Scott M., Charles L. Camp and his 1923 classification of lizards: An early cladist?, 216–222
Morphology, 127–139, 381–396, 419–448
  features, 326–345
  Tyrannidae, 35–45
Mosasauridae, 219
Mosquito wings, 346–358
Motacillidae, 37
Multivariate morphometrics, 127–139, 419–448
Mus, 70
  musculus, 71
Muscigralla, 36
Musophaga violacea, 38, 40
Musophagidae, 38
Myiarchus, 406, 408
  crinitus, 418
  tyrannulus, 415
  validus, 36
Myiobius
  atricaudatus, 40
  sulphureipygius, 40
Myiodynastes
  audax, 37
  maculatus, 37
  solitarius, 37
Myiopagis, 36
Myobatrachidae, 84
Mytilus edulis, 59–68

Natrix, 328
  natrix, 128
Nature of ancestors, on the, Michael Heads, 205–215
Nelson, Gareth, reviews by, 103–104, 104–105
Nelson, J. S., Fishes of the world. Second edition (rev.), 104–105
Neodrepanis, 39–41
  coruscans, 40
Neopelma, 39, 40, 408, 412
  sulphureiventer, 418
Neopipo, 39, 40
Neotoma, 74, 441
Neotropical colubrid snake fauna (Serpentes: Colubridae): Lineage components and biogeography, the, John E. Cadle, 1–20
Nephasoma, 163, 167, 168, 172
  minuta, 164
  rimicola, 164
Nerodia, 2, 13
Nesoctites, 175, 176, 213, 214
Network rooting, 109–126
New Caledonia, 140–151
New method for representing trees, a, Christian Charles Emig, 234–238
Ninia, 8, 19
Nitecki, Matthew H. (ed.), Extinctions (rev.), 102–103
Nonequilibrium thermodynamics and evolution: Responses to Bookstein and to Wicken, Daniel R. Brooks and E. O. Wiley, 89–97

Onchnesoma, 162–165, 167–169, 171
Oncostoma cinereigulare, 39
Ontogenetic method for determining character polarity and its relevance to phylogenetic systematics, the, Kevin de Queiroz, 280–299
Ontogeny, 46–58, 280–299
Onychorhynchus coronatus, 40
Opheodrys, 84
Orbulina universa, 277
Orthogenesis and evolution, John R. Grehan and Ruth Ainsworth, 174–192
Orthogonal polynomials, 346–358
Oryzomys, 74
Outgroups, 364–366
  method, 280–299
Owen, James G., and Margaret A. Chmielewski, On canonical variates analysis and the construction of confidence ellipses in systematic studies, 366–374

Oxnard, Charles, The order of man. A biomathematical anatomy of the primates (rev.), 105
Oxyrhopus, 6, 8, 20
Oxyruncidae, 35, 36, 39, 40, 405, 418
Oxyruncus, 37, 39, 42, 405, 408, 412, 415
cristatus, 40, 42, 418

Pachyramphus, 39, 40, 41, 405, 408, 409, 413
aglaiae, 37, 40
polychopterus, 415
versicolor, 418
Paedomorphosis, 280–299
Paleontological method, 280–299
Paleosuchus, 11
Pan, 194
Panbiogeography, 174–192
Parallelism,
threefold, 280–299
Parsimony, 21–34, 280–299, 312–325
Parthenogenetic species, 359–363
Pattern recognition, 59–68
Penny, David, and M. D. Hendy, The use of tree comparison metrics, 75–82
Penny, David, Two hypotheses on Darwin's gradualism, 201–205
Percina, 335, 337–340, 343
Peromyscus, 74
boylii, 84, 335, 337, 341, 343
maniculatus, 421
Phascolion, 162–165, 167–169, 171
Phascolionidae, 163, 167
Phascolopsis, 163, 167, 168, 170, 172
Phascolosoma, 163, 167–169, 172
granulatum, 164
Phascolosomatidae, 167, 172
Philepitta, 41
Philepittidae, 35, 39
Philodryas, 6, 7, 20
Phimophis, 20
Phoenicircus, 408
nigricollis, 418
Pholidobolus, 109–126
affinis, 109, 111, 113, 114, 116, 118–120, 123, 124, 126
annectens, 109, 111, 113, 115–121, 123, 124, 126
macbrydei, 109, 111, 113, 115–121, 124, 126
montium, 109, 111, 115–121, 123, 124, 126
prefrontalis, 109, 111, 113, 114, 116, 118, 120, 121, 123, 124, 126
Phyletic, biogeographic, and ecologic relationships among montane populations of least chipmunks (*Eutamias minimus*) in the Southwest, Robert M. Sullivan, 419–448
Phyllodactylus, 70
marmoratus, 73
Phylogenetic,
analysis, 162–173
inference, 21–34
outgroups, 364–366
trees, 193–200
Phylogenetic analysis of higher taxa in the phylum Sipuncula, a, Edward B. Cutler and Peter E. Gibbs, 162–173
Phylogenies from gene frequencies: A statistical problem, Joseph Felsenstein, 300–311
Phylogeny, 97–98, 109–126, 152–161, 300–311
ant, 140–151
confidence limits, 152–161
gene frequencies, 300–311
reconstruction, 404–418
systematics, 280–299
Phytotoma, 42, 405, 408, 413
rara, 38
rutila, 418
Phytotomidae, 35, 38, 40, 405, 418
Picidae, 175, 213, 214
Picumnus, 177, 214
innominatus, 175, 176, 213
Pinus ponderosa, 436
Pipilo chlorurus, 399
Pipra, 38, 40, 408, 412
erythrocephala, 415
pipra, 418
Pipreola, 42, 408
arcuata, 415, 418
Pipridae, 35, 36, 38–41, 405, 418
Piprites, 39, 40, 408, 409, 412
chloris, 418
Pitta reichenowi, 38
Pittidae, 35, 38
Pliocercus, 8, 19
Podarcis, 335, 337, 343
Polarity, 280–299
Polystictus, 36
Populus tremulodes, 436
Porcellio scaber, 244
Predictivity, 127–139
Principal components analysis, 259–279, 381–396, 419–448
Prionogenys, 148
Problems with the interpretation of developmental sequences, Pere Alberch, 46–58
Procnias nudicollis, 37, 40
Proctoporus, 109–126
hypostictus, 111, 114, 116, 118, 126
unicolor, 111, 114, 116, 118, 126
Pseudablabes, 20
Pseudoboa, 6, 12, 20
Pseudoeryx, 20
Pseudotomodon, 20
Ptilogonatidae, 38
Ptychophis, 20
Pulleniatina obliquiloculata, 277
Punctuated equilibria, 239–242
Pygopodidae, 84, 219
Pyroderus, 408
scutatus, 418
Pyrrhomyias cinnamomeus, 40

Quercus, 214
Querula, 408
purpurata, 418

Races, 127–139

Rana
esculenta, 49
fusca, 49
Ratios, 381–396
Rattus, 70
colletti, 71
sordidus, 71
villosissimus, 71
Relative variation, 449–456
Report of Society business for 1984, 250–253
Restriction endonucleases, 21–34
Rhachidelus, 20
Rhadinaea, 8, 12, 19, 20
brevirostris, 20
Rhadinophanes, 6, 19
Rhinocryptidae, 35, 37, 39
Rhytidoponera, 140–151
acanthoponeroides, 141, 147, 150
anceps, 147
aquila, 141, 146, 148, 150
arborea, 141, 150
atropurpurea, 141, 145, 150
confusa, 141, 142, 147, 150
depilis, 141, 150
fulgens, 141, 145, 150
insularis, 141, 150
koumensis, 141, 150
litoralis, 141, 150
luteipes, 141, 150
mimica, 141, 150
nitidiventris, 141, 150
numeensis, 141, 150
opaciventris, 141, 146, 148, 150
pulchella, 141, 150
terrestris, 141, 150
versicolor, 141, 150
wilsoni, 141
Rhytipterna, 36, 40
Riopa guineense, 213
Rohlf, F. James, review by, 105
Rohlf, F. James, see Ferson, Scott, —
Rohlf, F. James, see Zhou, Yuan-hua, —
Rupicola, 408
peruviana, 418
rupicola, 37
Rupicolidae, 37

Salamandridae, 84
Salmea, 84
Sapayoa, 39, 40, 408, 409, 412–414
aenigma, 407, 418
Saphenophis, 12, 20
Sasia, 175, 176, 213, 214
Sayornis phoebe, 415
Schiffornis, 39–41, 405, 408, 409
turdinus, 37, 40, 415, 418
Schlitter, Duane A., see Genoways, Hugh H., and —
Schnell, Gary D., review by, 471–473
Schram, Frederick R., review by, 246–247
Schultz, Brian B., Levene's test for relative variation, 449–456
Scincidae, 219, 221
Scudo, Francesco Maria, Darwin, Darwinian theories and punctuated equilibria, 239–242
Semaphoront, 280–299
Shao, Kwang-Tsao, see Sokal, Robert R., and —
Shape, 381–396
analysis, 59–68
Sibon, 8, 19
Sibynomorphus, 6–8, 19, 20
Sigmodon, 74
Similarity coefficient, 162–173
Siphlophis, 8, 20
Siphonoides, 162
Siphonomecus, 163, 167–169
Siphonsoma, 162, 163, 167–169
Sipuncula, 162–173
Sipunculidae, 164, 170, 172
Sipunculus, 162, 163, 165, 167, 168
Size, 381–396
Skeletons, 242–245
Slade, Norman A., see De Bry, Ronald W., and —
Smilodon, 183
Snakes, 1–20
Sokal, Robert R., and Kwang-Tsao Shao, Character stability in 39 data sets, 83–89
South America, 1–20, 109–126, 381–396
Speciation, 109–126
Species,
discrimination, 59–68
groups, 381–396
selection, 222–229
Species selection, macroevolutionary analysis, and the "hierarchical theory" of evolution, Joel Cracraft, 222–229
Sphaeroidinella dehiscens, 277
Spheniscidae, 38
Spheniscus humboldti, 38, 40
Sphenodon punctata, 463
Sphinctomyrmex, 148
Statistical inference, 21–34, 152–161, 310–311
Status of outgroups in phylogenetics, on the, Donald H. Colless, 364–366
Stepped cline, 127–139
Stigmatura, 36
Storeria, 2
Strauss, Richard E., Evolutionary allometry and variation in body form in the South American catfish genus *Corydoras* (Callichthyidae), 381–396
Sturnidae, 37
Stuessy, Tod F., review by, 375–377
Stylemys, 11
Subtree, 193–200
Sullivan, Robert M., Phyletic, biogeographic, and ecologic relationships among montane populations of least chipmunks (*Eutamias minimus*) in the Southwest, 419–448
Synapomorphy, 280–299
Syristes, 36

Tachymenis, 20
Tamiasciurus hudsonicus, 421
Tantalophis, 6, 19
Taxonomic congruence and disparity in an insular ant fauna: *Rhytidoponera* in New Caledonia, Philip S. Ward, 140–151
Taxonomy of parthenogenetic species of hybrid origin, Charles J. Cole, 359–363

Teiidae, 219, 221
Terenotriccus erythrurus, 40
Terrestrial isopods for preparing delicate vertebrate skeletons, Virginia C. Maiorana and Leigh M. Van Valen, 242–245
Tetrapoda, 463–470
Thamnodynastes, 6, 20
Thamnophis, 2
Themiste, 163, 168, 170, 172
  lageniformis, 164
Themistidae, 163, 164, 167, 170
Thorpe, R. S., Character number and the multivariate analysis of simple patterns of geographic variation: Categorical or "stepped clinal" variation, 127–139
Threefold parallelism, 280–299
Thysanocardia, 162, 163, 167, 168, 170
  nigra, 164
Tilapia, 227
Tityra, 39, 40, 41, 408, 409, 413
  cayana, 418
  semifasciata, 37, 40
Tadirostrum
  cinereus, 40
  plumbeiceps, 40
  sylvia, 40
Tolmomyias sulphurescens, 40
Tomodon, 20
Tracing, 346–358
Trees, 234–238
  comparison metrics, 75–82
  construction, 109–126
  most-parsimonious, 312–325
  phylogenetic, 193–200
  reliability, 397–403
Trend surface analysis, 259–279
Tretanorhinus, 5, 8, 12–14, 19, 20
Trimetopon, 6, 19
Tripanurgos, 6, 8, 20
Tropidodipsas, 19
Tropidodryas, 20
Tyranneutes, 39, 40, 408
  stolzmanni, 418
Tyrannidae, 35–45, 418
Tyranniscus chrysops, 40
Tyrannoids, 404–418
Tyrannulus, 36
Tyrannus, 38
Uma, 327, 335
Umbrivaga, 20
UPGMA, 109–126, 397–403, 419–448
Uromacer, 12, 20
Uroplatidae, 219
Uroplatus, 219
Use of tree comparison metrics, the, David Penny and M. D. Hendy, 75–82

Van Valen, Leigh M., see Maiorana, Virginia C., and —
Varanidae, 219, 221
Verreauxia, 175, 176, 213, 214
Vicariance, 1–20, 419–448
Vicariism, 174–192
von Baer's law, 280–299
von Vaupel, Jan Carel, Towards a monpgraph of *Euchirella* (rev.), 246–247

Waglerophis, 20
Wagner algorithm, 312–325
Wagner trees, 397–403
Ward, Philip S., Taxonomic congruence and disparity in an insular ant fauna: *Rhytidoponera* in New Caledonia, 140–151
Wartenberg, Daniel, Canonical trend surface analysis: A method for describing geographic patterns, 259–279
West Indies, 1–20
Wicken, 89–97
Wiley, E. O., see Brooks, Daniel R., and —

Xantusiidae, 219, 221
Xenodon, 6, 8, 20
Xenodontine, 1–20
Xenopholis, 20
Xenopsaris albinucha, 36, 39
Xenosauridae, 219
Xenosiphon, 162, 163, 167, 168

Zapus princeps, 433
Zaratornis, 408, 409
  stresemanni, 418
Zhou, Yuan-hua, Long-bin Ling, and F. James Rohlf, Automatic description of the venation of mosquito wings from digitized images, 346–358
Zimmerius chrysops, 40
Zonuridae, 219–221